



**Ohio Attorney General's Office**  
**Bureau of Criminal Investigation**  
Investigative Report



2022-1356

Officer Involved Critical Incident - 1659 S. Main Street, Akron, Ohio  
44301

**Investigative Activity:** Interview – Todd and Cathy Franklin  
**Activity Date:** January 18, 2023  
**Activity Location:** BCI Richfield  
**Authoring Agent:** SA Matthew Armstrong #146

**Narrative:**

On Friday, January 13, 2023, at approximately 1942 hours, Ohio Bureau of Criminal Investigation (BCI) Special Agent (SA) Cory Momchilov (Momchilov) received a text message from Akron Police Detective Sergeant (Sgt.) Tony Starvaggi (Starvaggi). Sgt. Starvaggi requested that SA Momchilov make contact with Captain Michael Yohe (Yohe). According to Sgt. Starvaggi, an individual told Captain Yohe that a bullet was located in her roof and felt that it might be related to June 27, 2022, shooting.

SA Momchilov then made contact with Captain Yohe. Captain Yohe advised that he obtained information that an individual living at 930 Dan Street, Akron, Ohio, had located a bullet in their roof. Based on the location, Captain Yohe thought that the bullet may be related to the June 27, 2022, shooting and that the bullet was still imbedded in her roof.

On Tuesday, January 17, 2023, SA Momchilov spoke with Sgt. Starvaggi. SA Momchilov requested the name and phone number of the individual who reported the bullet in their roof. Sgt. Starvaggi then forwarded SA Momchilov the following email:

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



**Ohio Attorney General's Office**  
**Bureau of Criminal Investigation**  
 Investigative Report



2022-1356

Officer Involved Critical Incident - 1659 S. Main Street, Akron, Ohio  
 44301

**Cory Momchilov**

**From:** Starvaggi, Tony <TStarvaggi@akronohio.gov>  
**Sent:** Monday, January 16, 2023 11:56 AM  
**To:** Cory Momchilov  
**Subject:** FW: Found Bullet

**From:** Whiddon, David <DWhiddon@akronohio.gov>  
**Sent:** Monday, January 16, 2023 7:32 AM  
**To:** Starvaggi, Tony <TStarvaggi@akronohio.gov>  
**Subject:** Fw: Found Bullet

**From:** Yohe, Michael <MYohe@akronohio.gov>  
**Sent:** Friday, January 13, 2023 7:54 PM  
**To:** Brewer, Chris <CBrewer@akronohio.gov>  
**Cc:** Whiddon, David <DWhiddon@akronohio.gov>  
**Subject:** RE: Found Bullet

Cell number for Mrs. Franklin is 330-812-0516. Try house number first.

**From:** Yohe, Michael  
**Sent:** Friday, January 13, 2023 6:55 PM  
**To:** Brewer, Chris <CBrewer@akronohio.gov>  
**Cc:** Whiddon, David <DWhiddon@akronohio.gov>  
**Subject:** Found Bullet

Sir,  
 I was contacted by retired Sgt. Dan Englehart who stated that his dentist told him of a patient who reportedly had recently discovered a bullet in her roof. She stated that because of her address (930 Dan St.) she felt that it might be related to the discharge of a firearm in an OIS this summer. I pulled it up on the map and see that the back of that house, although a little south, may be facing the direction on Route 8 near the Tallmadge Ave. on-ramp. I spoke with the homeowner, a Mrs. Cathy Franklin, tonight and told her that I would pass along her information and ask that she be contacted after this was shared with investigators who would know the potential significance of this. I spoke with Sgt. Moenich and left a message for Lt. Whiddon tonight but thought it best to pass this along to you for assessment and any need to follow-up with BCI/CSU. The Franklin home number is 330-376-1144. If you would like me to do anything else, please let me know.  
 Thanks,  
 Capt. Yohe

On Tuesday, January 17, 2023, at approximately 1242 hours, SA Momchilov made contact with Cathy Franklin (Cathy), via phone. SA Momchilov advised Cathy that it was his understanding that she had located a bullet in her roof. Cathy explained that her roof was leaking and her insurance company came out on July 6, 2022, and inspected the roof. During the inspection, the

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



**Ohio Attorney General's Office**  
**Bureau of Criminal Investigation**  
Investigative Report



2022-1356

Officer Involved Critical Incident - 1659 S. Main Street, Akron, Ohio  
44301

inspector advised Cathy that he had located a bullet hole in the roof. Cathy stated she contacted the police department to report the matter, and the police department, "had no interest."

It appears that Cathy told this information to her dentist, and her dentist mentioned this to a retired Akron Police sergeant.

Cathy advised that the inspector completed a report that documented the location of the bullet in her roof.

Cathy later forwarded the report to SA Momchilov. SA Momchilov advised Cathy that investigators would like to examine her roof and possibly retrieve the bullet.

Later in the day, SA Momchilov received a call from Cathy's husband, Todd Franklin (Todd). Todd advised SA Momchilov that he would be available on January 18, 2022, at 1400 hours.

SA Momchilov attached the following items to this Investigative Report: Interview with Cathy Franklin, the email that was forwarded to him by Sgt. Starvaggi and the inspection report provided by Cathy Franklin.

On Wednesday, January 18, 2023, at approximately 1354 hours, (BCI) SA Matthew Armstrong conducted a recorded interview with Todd. The interview took place at his residence, 930 Dan Street, Akron, Ohio. Todd had learned there was a bullet in the roof of his residence and believed it may have been related to the June 27, 2022, officer-involved shooting in Akron. The audio recording has been uploaded to Matrix and attached to this report.

SA Nick Valente and SA Dan Boerner (Boerner) were present during the interview with Todd. SA Boerner had responded to examine the potential evidence and collect it, if possible. For details regarding the location of the evidence, refer to SA Boerner's Investigative Report titled, *2023-01-18: Scene Examination - 930 Dan St., Akron, Ohio (IR - 7)*.

Throughout the interview, Todd provided the following information:

Around June 1, 2022, he had a water leak in his kitchen, which prompted him to contact his insurance company and a roofer. On July 6, 2022, the insurance company and a roofer examined his roof and determined the water leak in his kitchen was from a seal around his sewer stack. They also informed Todd there was a bullet in his roof.

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



**Ohio Attorney General's Office**  
**Bureau of Criminal Investigation**  
Investigative Report



2022-1356

Officer Involved Critical Incident - 1659 S. Main Street, Akron, Ohio  
44301

Approximately one week later, possibly July 14, 2022, Todd's wife called the Akron Police Department on the non-emergency line and informed them there was a bullet in their roof. She also informed them they believed the bullet may have been from the Jayland Walker shooting incident. The call taker indicated they would pass the information on.

In September or November, there was a shooting in the area of Dan Street and Talmadge Avenue. It was on a Friday night and they reported it to the Akron Police Department. On the Sunday following the shooting, he located the cartridge casings from the shooting on the roadway. He collected the cartridge casings and called the Akron Police Department again. Two officers responded and collected the cartridge casings. He did not know who they were. He told them about the bullet in his roof, but his belief was that they were not interested.

Approximately three weeks prior to the interview, Cathy went to the dentist and told him about the bullet in the roof. Their dentist was Kenneth Hudak (Hudak). Hudak then told a friend, who was an Akron officer, about the bullet. The Akron Police then called and wanted to come out to their house. A few days prior to the interview, two Akron Police crime scene officers responded to the home, but they did not collect the bullet.

Todd explained he had seen the traffic camera video of the shooting from the on ramp to St. Rt. 8. Due to the location of his house in relation to the gun being fired on the on ramp, Todd believed the bullet in his roof may have been from that incident. The image below has been included to depict an overall aerial view of Todd's residence in relation to the on ramp.

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



**Ohio Attorney General's Office**  
**Bureau of Criminal Investigation**  
 Investigative Report



2022-1356

Officer Involved Critical Incident - 1659 S. Main Street, Akron, Ohio 44301



*Image from Google Maps*

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



**Ohio Attorney General's Office**  
**Bureau of Criminal Investigation**  
Investigative Report



2022-1356

Officer Involved Critical Incident - 1659 S. Main Street, Akron, Ohio  
44301

Attachments:

- 2023-01-18 Audio Recorded Interview - Todd Franklin
- Audio interview with Cathy Franklin
- Forwarded email from Sgt. Starvaggi
- Roof inspection report for 930 Dan Street, Akron

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.

Page 6 of 6

**Supervisor Approval: SAS Jon Lieber #50**

**2/9/2023 12:15 PM**

## Cory Momchilov

---

**From:** Starvaggi, Tony <TStarvaggi@akronohio.gov>  
**Sent:** Monday, January 16, 2023 11:56 AM  
**To:** Cory Momchilov  
**Subject:** FW: Found Bullet

---

**From:** Whiddon, David <DWhiddon@akronohio.gov>  
**Sent:** Monday, January 16, 2023 7:32 AM  
**To:** Starvaggi, Tony <TStarvaggi@akronohio.gov>  
**Subject:** Fw: Found Bullet

---

**From:** Yohe, Michael <MYohe@akronohio.gov>  
**Sent:** Friday, January 13, 2023 7:54 PM  
**To:** Brewer, Chris <CBrewer@akronohio.gov>  
**Cc:** Whiddon, David <DWhiddon@akronohio.gov>  
**Subject:** RE: Found Bullet

Cell number for Mrs. Franklin is 330-812-0516. Try house number first.

---

**From:** Yohe, Michael  
**Sent:** Friday, January 13, 2023 6:55 PM  
**To:** Brewer, Chris <CBrewer@akronohio.gov>  
**Cc:** Whiddon, David <DWhiddon@akronohio.gov>  
**Subject:** Found Bullet

Sir,

I was contacted by retired Sgt. Dan Englehart who stated that his dentist told him of a patient who reportedly had recently discovered a bullet in her roof. She stated that because of her address (930 Dan St.) she felt that it might be related to the discharge of a firearm in an OIS this summer. I pulled it up on the map and see that the back of that house, although a little south, may be facing the direction on Route 8 near the Tallmadge Ave. on-ramp. I spoke with the homeowner, a Mrs. Cathy Franklin, tonight and told her that I would pass along her information and ask that she be contacted after this was shared with investigators who would know the potential significance of this. I spoke with Sgt. Moenich and left a message for Lt. Whiddon tonight but thought it best to pass this along to you for assessment and any need to follow-up with BCI/CSU. The Franklin home number is 330-376-1144. If you would like me to do anything else, please let me know.

Thanks,  
Capt. Yohe



# Seek Now Maestro Report

## Ladder Assist

**Claim:** 049900390-01

**Adjuster:** Richard Walker

**Carrier:** Liberty Mutual

**Policy Holder :** Cathy Franklin

**Loss Location :** 930 Dan St  
Akron, OH 44310



Claim: 049900390-01



SeekNow™



1

Seek-Now.com | (866)-801-1258

# INSPECTION SUMMARY

Date of Inspection: July 6, 2022	
Structure 1: House	Roof
Claim Number	049900390-01
Policy Holder	Cathy Franklin
Loss Location	930 Dan St Akron, OH 44310
Date of Loss	
Catastrophe Event	NO
Carrier	Liberty Mutual
Adjuster	Richard Walker
Inspector	Howard Holcomb
Inspector Contacts	13305928645 hholcomb@laddernow.com
Seek Now Office	866-801-1258 claims@seek-now.com (LA) solos@seek-now.com (Completed Solos)



# STRUCTURE

## ROOF SUMMARY

### Arrival

Arrived at location on July 6, 2022. The insured was present at the time of the inspection. A contractor was not present at the time of the inspection. A public adjuster was not present at the time of the inspection.

The Ladder Now inspector met the adjuster at the loss location to perform the Ladder Assist service. After completing an overview, an inspection was performed to identify any damages. All inspection findings and damage counts were given to the adjuster onsite. All notes and photos taken during the inspection are provided in the report below.



# SCOPE SHEET - ROOF

9:10  
**SeekNow**  
(866) 801-1258  
**LA Roof**

Carrier: Liberty Mutual      Date: 7/6/23  
 Claim #: 049900390-01      Hall  Wind   
 Homeowner: Cathy Franklin      Ladder No.                       
 Address: 930 Dan St      S:  E:   
Aurora OH 44310      E:  W:   
 Adjuster: Richard Walker      Inspector: Howard Holcomb  
 Phone: 3305928665  
 Email: seeknow.com

Shingle Type:  3 Tab       20 Y       25 Y  
 Laminate       30 Y       40 Y  
 50 Y

Eave: LF      Rake: LF      Eagleview Present:  Y(N)

Calculations:      F      G      H      I      J      K      L      M  
 A      B      C      D      E      Total Squares:      1 Story: Horse  
 2 Story:                     

Ice/Water Shield:  Y(N)  
 Valley:  Eave  Rake

Drip Edge:  Yes  No       Rake  Eave

Valley Metal: Y(N)

Layers:                     

Pitch: 9/12

Box Vents:  Metal  Damaged  Plastic Y(N)  
 Ridge Vent:  Shingle Over  Metal Y(N)  
 Turbine:  Y(N)  
 HVAC Vent:  Y(N)  
 Rain Diverter:  Y(N)  
 Power Vent:  Y(N)  
 Skylight:  Y(N)  
 SAT:  Y(N)  
 Pipes: Qty 2 Lead  Y(N)  
 Qty 1 Plastic  Y(N)  
 Gutters: LF 5'  Y(N)  
 Downspouts: 2x3  Y(N)  
 Fascia: Size 2x4 LF  Y(N)  
 Wood/Metal Chimney Flashing:  Y(N)  
 Other: 24x24

Notes: No Storm related damages Unsealed Accessories Present

No inspect

Back      Front

Max Hail Diameter: 2.08      TM= Thermal Cracking      B= Blistering      MD= Mechanical Damage  
 Storm Direction: SW      TD= Tree Damage      BV= Box Vent      P= Pipe      PV= Power Vent  
 Collateral Damage: Y(N)      TS= Test Square      X= Wind Damage



# INSPECTION IMAGES

## Address Photo

July 6, 2022



## Risk Photo

July 6, 2022



# INSPECTION IMAGES

## HOUSE ELEVATION PHOTOS


**Elevation - Overview - Front**

July 6, 2022



**Elevation - Front - Gutter Size**

Size: 5 inch



# INSPECTION IMAGES

## Elevation - Front - Gutter

Size: 5 inch

Style: Standard Seamless

Material: Aluminum

Painted/Stained

Condition: Fair



## Elevation - Front - Fascia

Size: 8 inch

Material: Metal

Painted/Stained

Condition: Fair



# INSPECTION IMAGES

## Elevation - Overview - Right

July 6, 2022



## Elevation - Right - Fascia

Size: 8 inch

Material: Metal

Painted/Stained

Storm related damage caused by Wind

Condition: Fair

Damaged : 10 LF of Aerial



# INSPECTION IMAGES

## Elevation - Overview - Back

July 6, 2022



## Elevation - Back - Gutter

Size: 5 inch

Style: Standard Seamless

Material: Aluminum

Painted/Stained

Condition: Fair



# INSPECTION IMAGES

## Elevation - Back - Gutter Protection

Style: Mesh Screen

Condition: Fair



## Elevation - Overview - Left

July 6, 2022



# INSPECTION IMAGES

## Elevation - Left - Fascia

Size: 8 inch

Material: Metal

Painted/Stained

Storm related damage caused by Wind

Condition: Fair

Damaged : 26 LF of Aerial



# INSPECTION IMAGES


## HOUSE ROOF CONSTRUCTION

1 Layer  
20 year 3 tab shingle  
Ice/Water Shield - Eaves  
Felt - 15 lb  
Drip Edge - Painted - Eaves and Rakes  
Gutter Apron - None  
July 6, 2022



### Full Shingle Width

36 inch  
July 6, 2022



# INSPECTION IMAGES

## Shingle Exposure

5 inch

July 6, 2022



## Roofing Gauge

Asphalt Shingle

July 6, 2022



# INSPECTION IMAGES

Pitch Gauge - 9/12  
July 6, 2022



Eave Overhang - 20 inch  
July 6, 2022



# INSPECTION IMAGES

## HOUSE VALLEYS

### Closed Valley

- Closed Cut

Front/Right

No Metal

No Damage

Condition: Fair

July 6, 2022




# INSPECTION IMAGES

## HOUSE SLOPES OVERVIEWS

### Front - Roof Overview

July 6, 2022



### Front - Roof Overview

July 6, 2022



# INSPECTION IMAGES

## Front - Roof Overview

July 6, 2022



## Front - Roof Overview

July 6, 2022



# INSPECTION IMAGES

## Front - Roof Overview

July 6, 2022



## Front - Roof Overview

July 6, 2022



# INSPECTION IMAGES

## Front - Roof Overview

July 6, 2022



## Front - Roof Overview

July 6, 2022



# INSPECTION IMAGES

## Front - Roof Overview

July 6, 2022



## Right - Roof Overview

July 6, 2022



# INSPECTION IMAGES


## Right - Roof Overview

July 6, 2022



## Back - Roof Overview


July 6, 2022



# INSPECTION IMAGES

## Back - Roof Overview

July 6, 2022



## Back - Roof Overview

July 6, 2022



# INSPECTION IMAGES

## Left - Roof Overview

July 6, 2022



## Left - Roof Overview

July 6, 2022



# INSPECTION IMAGES

## FRONT/RIGHT/BACK/LEFT HIP & RIDGE PHOTOS

### Hip & Ridge Run Overview

Front/Right/Back/Left

3 Tab

Fair Condition

No Damage

July 6, 2022



### Hip & Ridge Run Overview

Front/Right/Back/Left

3 Tab

Fair Condition

No Damage

July 6, 2022



# INSPECTION IMAGES

## Hip & Ridge Run Overview

Front/Right/Back/Left

3 Tab

Fair Condition

No Damage

July 6, 2022



## Hip & Ridge Run Condition

Front/Right/Back/Left

3 Tab

July 6, 2022




# INSPECTION IMAGES

## Hip & Ridge Run Condition

Front/Right/Back/Left

3 Tab

July 6, 2022



# INSPECTION IMAGES

## HOUSE SLOPES

### FRONT SLOPE

#### Front Slope - Damage Assessment

Wind - 0

Tree (Storm related) - 0

July 6, 2022



#### Front Slope - Roof Condition

Fair Condition

July 6, 2022




# INSPECTION IMAGES

## Front Slope - Roof Condition

Fair Condition

July 6, 2022



## Accessory - Front Slope

Pipe Boot

Galvanized with Rubber Collar

No Damage

Unsealed Condition

Size: 4.0"

July 6, 2022



# INSPECTION IMAGES

## RIGHT SLOPE

### Right Slope - Damage Assessment

Wind - 0

Tree (Storm related) - 0

July 6, 2022



### Right Slope - Roof Condition

Fair Condition

Lichen

July 6, 2022



# INSPECTION IMAGES

## Right Slope - Roof Condition

Fair Condition

Lichen

July 6, 2022



## BACK SLOPE

### Back Slope - Damage Assessment

Wind - 0

Tree (Storm related) - 0

July 6, 2022



# INSPECTION IMAGES

## Back Slope - Roof Condition

Fair Condition

Nail Pops

July 6, 2022



## Back Slope - Roof Condition

Fair Condition

bullet

July 6, 2022



# INSPECTION IMAGES

## Back Slope - Roof Condition

Fair Condition

July 6, 2022



## Accessory - Back Slope

Chimney Flashing

Aluminum

No Damage

Fair Condition

Size: 24.0" x 24.0"

Painted

July 6, 2022



# INSPECTION IMAGES

## Accessory - Back Slope

Box Vent  
Aluminum  
No Damage  
Fair Condition  
Painted  
July 6, 2022



## Accessory - Back Slope

Box Vent  
Aluminum  
No Damage  
Fair Condition  
Painted  
July 6, 2022



# INSPECTION IMAGES

## Accessory - Back Slope

Box Vent  
Aluminum  
No Damage  
Fair Condition  
Painted  
July 6, 2022



## Accessory - Back Slope

Pipe Boot  
Plastic  
Damage caused by mechanical  
Poor Condition  
Size: 3.0"  
July 6, 2022



# INSPECTION IMAGES

## Accessory - Back Slope

Pipe Boot

Plastic

Damage caused by mechanical

Poor Condition

Size: 3.0"

July 6, 2022



## Accessory - Back Slope

Pipe Boot

Galvanized with Rubber Collar

No Damage

Fair Condition

Size: 4.0"

July 6, 2022



# INSPECTION IMAGES

## LEFT SLOPE

### Left Slope - Damage Assessment

Wind - 0

Tree (Storm related) - 0


July 6, 2022



### Left Slope - Roof Condition

Fair Condition

July 6, 2022



# INSPECTION IMAGES

## Left Slope - Roof Condition

Fair Condition

Granule Loss

July 6, 2022



Want to get the **most updated status** on your inspection, with just a few clicks?

# Visit the **My Inspections** section inside of the Scheduling Portal.


## Step 1

Log in to the Scheduling Portal.




## Step 2

Click on the "My Inspection" tool in the top navigation bar.



## Step 3

Click on your inspection cards for more detailed information including the most up-to-date status of the inspection, contact attempts, results, and more.



## Still need help?

Call us at **(866) 801-1258** and we will solve the problem.

