



Ohio Attorney General's Office
Bureau of Criminal Investigation
 Investigative Report



2021-1772

Officer Involved Critical Incident - 300 Wood Street Apt. A8, Mansfield, OH

Investigative Activity: Taser Download Results
 Activity Date: August 24, 2021
 Authoring Agent: Special Agent Cory Momchilov #64

On August 24, 2021, Special Agent Cory Momchilov received the Taser Download Results from Lieutenant Rob Skropits of the Mansfield Police Department.

Based on the download information, the Taser registered a trigger pull four times at the following times:

- 17:39:08:447-Duration 1.08s (Bay 1)
- 17:39:11:212-Duration 0.78s (Bay 2)
- 17:39:12.33-Duration .72s
- 17:39:13:097-Duration 4.95s

Title	Date/Time	Description	Graph
Armed Event	Jul 29, 2021 17:39:08	Duration: 10m 47.53s	Re
1 Firmware Version	17:39:08.094	1.7.2	
2 Safety OFF	17:39:08.120	CEW Armed	
3 Cartridge	17:39:08.255	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
4 Cartridge	17:39:08.288	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
5 Battery	17:39:08.447	Serial Number: [REDACTED] Charge: 90%	
6 Trigger	17:39:09.849	Trigger Pull Detected	
7 Cartridge AFID	17:39:09.860	Serial Number: [REDACTED] Handle Serial Number: [REDACTED] Deployment Date/Time: Jul 29, 2021 17:39:09	
8 Bay 1 Deployed	17:39:09.891		
9 Discharge	17:39:10.129	Duration: 1.08s Electrical Discharge	See Attached Pulse Graphs (Discharge 1)

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



Ohio Attorney General's Office
Bureau of Criminal Investigation
 Investigative Report



2021-1772

Officer Involved Critical Incident - 300 Wood Street Apt. A8, Mansfield, OH

10	Trigger	17:39:11.212	Trigger Pull Detected	
11	Cartridge AFID	17:39:11.223	Serial Number: [REDACTED] Handle Serial Number: [REDACTED] Deployment Date/Time: Jul 29, 2021 17:39:11	R
12	Bay 2 Deployed	17:39:11.256		
13	Discharge	17:39:11.534	Duration: 0.78s Electrical Discharge	See Attached Pulse Graphs (Discharge 2)
14	Trigger	17:39:12.333	Trigger Pull Detected	
15	Discharge	17:39:12.362	Duration: 0.72s	See Attached Pulse Graphs (Discharge 3)
16	Trigger	17:39:13.097	Trigger Pull Detected	
17	Discharge	17:39:13.126	Duration: 4.95s	See Attached Pulse Graphs (Discharge 4)
18	Audible Alert	17:39:16.135	Shutdown	
19	CEW Inactive for Five Minutes	17:44:18.140	Power Save Mode Entered	
20	CEW Inactive for Five Minutes	17:49:18.149	Power Save Mode Entered	
21	Weapon Timed Off	17:49:55.617	Powered Off	

The following items are attached to this Investigative Report:

- Taser 7 Download Log
- Taser 7 Pulse Graph

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



Report generated by:

User Lumadue, Paul (227)
Username plumadue
Department Mansfield Police Dept. - OH
Local Timezone America/New_York
Generated on Aug 24, 2021 2:31 PM

SUMMARY

START DATE	Jul 2, 2021	DEVICE MODEL	TASER 7
START TIME	13:27:03	DEVICE SERIAL	
EVIDENCE DURATION	652h 22m	CEW	██████████
TRIGGER PULLS	4	BATTERY	██████████
CARTRIDGES DEPLOYED	2	BATTERY	██████████
		CARTRIDGE	██████████
		CARTRIDGE	██████████
		CURRENT STATUS	
		FIRMWARE	1.7.2
		WARRANTY EXPIRATION	Jan 30, 2026

TIMELINE

Title	Date/Time	Description	Graph
Armed Event	Jul 29, 2021 17:39:08	Duration: 10m 47.53s	
1 Firmware Version	17:39:08.094	1.7.2	
2 Safety OFF	17:39:08.120	CEW Armed	
3 Cartridge	17:39:08.255	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: ██████████	
4 Cartridge	17:39:08.288	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: ██████████	
5 Battery	17:39:08.447	Serial Number: ██████████ Charge: 90%	
6 Trigger	17:39:09.849	Trigger Pull Detected	
7 Cartridge AFID	17:39:09.860	Serial Number: ██████████ Handle Serial Number: ██████████ Deployment Date/Time: Jul 29, 2021 17:39:09	
8 Bay 1 Deployed	17:39:09.891		
9 Discharge	17:39:10.129	Duration: 1.08s Electrical Discharge	See Attached Pulse Graphs (Discharge 1)
10 Trigger	17:39:11.212	Trigger Pull Detected	
11 Cartridge AFID	17:39:11.223	Serial Number: ██████████ Handle Serial Number: ██████████ Deployment Date/Time: Jul 29, 2021 17:39:11	
12 Bay 2 Deployed	17:39:11.256		
13 Discharge	17:39:11.534	Duration: 0.78s Electrical Discharge	See Attached Pulse Graphs (Discharge 2)
14 Trigger	17:39:12.333	Trigger Pull Detected	
15 Discharge	17:39:12.362	Duration: 0.72s	See Attached Pulse Graphs (Discharge 3)


Title	Date/Time	Description	Graph
16 Trigger	17:39:13.097	Trigger Pull Detected	
17 Discharge	17:39:13.126	Duration: 4.95s	See Attached Pulse Graphs (Discharge 4)
18 Audible Alert	17:39:16.135	Shutdown	
19 CEW Inactive for Five Minutes	17:44:18.140	Power Save Mode Entered	
20 CEW Inactive for Five Minutes	17:49:18.149	Power Save Mode Entered	
21 Weapon Timed Off	17:49:55.617	Powered Off	
Maintenance Event	Jul 26, 2021 20:12:44	Duration: 32.73s	
1 Firmware Version	20:12:44.094	1.7.2	
2 Function Check	20:12:44.120	Function Test Mode	
3 Arc	20:12:48.815	Left Button Press	
4 Arc	20:12:48.867	Right Button Press	
5 Arc	20:12:52.920	Left Button Press	
6 Arc	20:12:52.932	Right Button Press	
7 Arc	20:12:56.126	Right Button Press	
8 Arc	20:12:56.480	Left Button Press	
9 Arc	20:12:56.571	Left Button Press	
10 Arc	20:13:00.291	Left Button Press	
11 Arc	20:13:00.309	Right Button Press	
12 Arc	20:13:01.001	Right Button Press	
13 Arc	20:13:01.011	Left Button Press	
14 Arc	20:13:04.280	Left Button Press	
15 Arc	20:13:04.286	Right Button Press	
16 Function Check	20:13:16.824	Function Test Mode Exit	
Armed Event	Jul 17, 2021 09:51:50	Duration: 11.88s	
1 Firmware Version	09:51:50.094	1.7.2	
2 Battery Inserted	09:51:50.120	Serial Number: ██████████	
3 Arc	09:51:51.920	Left Button Press	
4 Function Check	09:51:51.932	Function Test Mode	
5 Arc	09:51:51.944	Right Button Press	
6 Safety OFF	09:51:54.968	CEW Armed	

Title	Date/Time	Description	Graph
7 Cartridge	09:51:55.102	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
8 Cartridge	09:51:55.136	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
9 Battery	09:51:55.202	Serial Number: [REDACTED] Charge: 94%	
10 Arc	09:51:56.179	Right Button Press	
11 Discharge	09:51:56.191	Duration: 4.96s	See Attached Pulse Graphs (Discharge 5)
12 Audible Alert	09:51:59.255	Shutdown	
13 Safety ON	09:52:01.935	CEW Disarmed Bay 1 Cartridge Status: Ready Bay 2 Cartridge Status: Ready	
14 Function Check	09:52:01.979	Function Test Mode Exit	
Armed Event	Jul 14, 2021 15:40:38	Duration: 19.48s	
1 Firmware Version	15:40:38.088	1.7.2	
2 Function Check	15:40:38.114	Function Test Mode	
3 Safety OFF	15:40:44.147	CEW Armed	
4 Cartridge	15:40:44.283	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
5 Cartridge	15:40:44.323	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
6 Battery	15:40:44.389	Serial Number: [REDACTED] Charge: 69%	
7 Arc	15:40:50.963	Right Button Press	
8 Discharge	15:40:50.975	Duration: 4.96s	See Attached Pulse Graphs (Discharge 6)
9 Audible Alert	15:40:54.095	Shutdown	
10 Safety ON	15:40:57.519	CEW Disarmed Bay 1 Cartridge Status: Ready Bay 2 Cartridge Status: Ready	
11 Function Check	15:40:57.563	Function Test Mode Exit	
Maintenance Event	Jul 11, 2021 16:04:05	Duration: 10.24s	
1 Firmware Version	16:04:05.088	1.7.2	
2 Function Check	16:04:05.114	Function Test Mode	
3 Function Check	16:04:15.332	Function Test Mode Exit	
Armed Event	Jul 10, 2021 14:06:21	Duration: 51.43s	
1 Firmware Version	14:06:21.088	1.7.2	

Title	Date/Time	Description	Graph	
2	Function Check	14:06:21.114	Function Test Mode	
3	Safety OFF	14:06:22.931	CEW Armed	
4	Cartridge	14:06:23.067	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
5	Cartridge	14:06:23.107	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
6	Battery	14:06:23.174	Serial Number: [REDACTED] Charge: 72%	
7	Arc	14:06:24.440	Right Button Press	
8	Discharge	14:06:24.452	Duration: 5.07s	See Attached Pulse Graphs (Discharge 7)
9	Audible Alert	14:06:27.451	Shutdown	
10	Safety ON	14:07:12.477	CEW Disarmed Bay 1 Cartridge Status: Ready Bay 2 Cartridge Status: Ready	
11	Function Check	14:07:12.521	Function Test Mode Exit	
Armed Event		Jul 9, 2021 14:28:14	Duration: 11.04s	
1	Firmware Version	14:28:14.088	1.7.2	
2	Function Check	14:28:14.114	Function Test Mode	
3	Arc	14:28:16.120	Right Button Press	
4	Safety OFF	14:28:17.906	CEW Armed	
5	Cartridge	14:28:18.042	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
6	Cartridge	14:28:18.082	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
7	Battery	14:28:18.241	Serial Number: [REDACTED] Charge: 73%	
8	Arc	14:28:18.845	Right Button Press	
9	Discharge	14:28:18.857	Duration: 4.97s	See Attached Pulse Graphs (Discharge 8)
10	Audible Alert	14:28:21.856	Shutdown	
11	Safety ON	14:28:25.079	CEW Disarmed Bay 1 Cartridge Status: Ready Bay 2 Cartridge Status: Ready	
12	Function Check	14:28:25.124	Function Test Mode Exit	
Armed Event		Jul 7, 2021 16:12:18	Duration: 10.44s	
1	Firmware Version	16:12:18.088	1.7.2	
2	Function Check	16:12:18.114	Function Test Mode	

Title	Date/Time	Description	Graph
3 Safety OFF	16:12:19.344	CEW Armed	
4 Cartridge	16:12:19.480	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
5 Cartridge	16:12:19.520	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
6 Battery	16:12:19.586	Serial Number: [REDACTED] Charge: 75%	
7 Arc	16:12:20.449	Right Button Press	
8 Discharge	16:12:20.461	Duration: 5.07s	See Attached Pulse Graphs (Discharge 9)
9 Audible Alert	16:12:23.502	Shutdown	
10 Safety ON	16:12:28.487	CEW Disarmed Bay 1 Cartridge Status: Ready Bay 2 Cartridge Status: Ready	
11 Function Check	16:12:28.531	Function Test Mode Exit	
Armed Event	Jul 2, 2021 13:27:03	Duration: 9.80s	
1 Firmware Version	13:27:03.088	1.7.2	
2 Function Check	13:27:03.114	Function Test Mode	
3 Safety OFF	13:27:04.119	CEW Armed	
4 Cartridge	13:27:04.255	TASER 7 Live 12 Cartridge in Bay 1 Serial Number: [REDACTED]	
5 Cartridge	13:27:04.295	TASER 7 Live 12 Cartridge in Bay 2 Serial Number: [REDACTED]	
6 Battery	13:27:04.362	Serial Number: [REDACTED] Charge: 77%	
7 Arc	13:27:05.981	Right Button Press	
8 Discharge	13:27:05.993	Duration: 4.96s	See Attached Pulse Graphs (Discharge 10)
9 Audible Alert	13:27:08.992	Shutdown	
10 Safety ON	13:27:12.847	CEW Disarmed Bay 1 Cartridge Status: Ready Bay 2 Cartridge Status: Ready	
11 Function Check	13:27:12.891	Function Test Mode Exit	

Discharge 1





Start Date
07/29/2021


Start Time
17:39:10

Duration
1.08s



TASER 7

Assignee
Boggs, Mark (294)





Discharge 1



Start Date
07/29/2021

Path 1 (0-5s)



Discharge 1

Start Time
17:39:10


Duration
1.08s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 2



● Path 1

◆ Path 2

■ Path 3

▲ Path 4



Start Date
07/29/2021

Start Time
17:39:11


Duration
0.78s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 2



● Path 1

◆ Path 2

■ Path 3

▲ Path 4



Start Date
07/29/2021

Start Time
17:39:11

Duration
0.78s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 1 (0-5s)



Discharge 2

Start Time
17:39:11

Duration
0.78s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 2 (0-5s)



Discharge 2

Start Time
17:39:11

Duration
0.78s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 3 (0-5s)



Discharge 2

Start Time
17:39:11

Duration
0.78s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 4 (0-5s)



Discharge 2

Start Time
17:39:11


Duration
0.78s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 3



- Path 1
- ◆ Path 2
- Path 3
- ▲ Path 4



Start Date
07/29/2021

Start Time
17:39:12


Duration
0.72s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 3



● Path 1

◆ Path 2

■ Path 3

▲ Path 4



Start Date
07/29/2021

Start Time
17:39:12

Duration
0.72s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 1 (0-5s)



Discharge 3

Start Time
17:39:12

Duration
0.72s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 2 (0-5s)



Discharge 3

Start Time
17:39:12

Duration
0.72s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 3 (0-5s)



Discharge 3

Start Time
17:39:12

Duration
0.72s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 4 (0-5s)



Discharge 3


Start Time
17:39:12

Duration
0.72s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)





- Path 1
- ◆ Path 2
- Path 3
- ▲ Path 4

Start Date
07/29/2021



Start Time
17:39:13


Duration
4.95s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 4





- Path 1
- ◆ Path 2
- Path 3
- ▲ Path 4

Start Date
07/29/2021



Start Time
17:39:13

Duration
4.95s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 4



Start Date
07/29/2021

Path 1 (0-5s)



Discharge 4

Start Time
17:39:13

Duration
4.95s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 2 (0-5s)



Discharge 4

Start Time
17:39:13

Duration
4.95s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 3 (0-5s)



Discharge 4

Start Time
17:39:13

Duration
4.95s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/29/2021

Path 4 (0-5s)



Discharge 4


Start Time
17:39:13

Duration
4.95s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)





Start Date
07/17/2021



Start Time
09:51:56


Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 5





● Path 1

◆ Path 2

Start Date
07/17/2021



Start Time
09:51:56

Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 5



Start Date
07/17/2021

Path 1 (0-5s)



Discharge 5

Start Time
09:51:56

Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/17/2021

Path 2 (0-5s)



Discharge 5


Start Time
09:51:56

Duration
4.96s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)





● Path 1

◆ Path 2

Start Date
07/14/2021



Start Time
15:40:50


Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 6





● Path 1

◆ Path 2

Start Date
07/14/2021



Start Time
15:40:50

Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 6



Start Date
07/14/2021

Path 1 (0-5s)



Discharge 6

Start Time
15:40:50

Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/14/2021

Path 2 (0-5s)



Discharge 6

Start Time
15:40:50


Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 7



● Path 1

◆ Path 2



Start Date
07/10/2021

Start Time
14:06:24


Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 7



● Path 1

◆ Path 2



Start Date
07/10/2021

Start Time
14:06:24


Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 7



● Path 1

◆ Path 2



Start Date
07/10/2021

Start Time
14:06:24


Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 7





Start Date
07/10/2021

Start Time
14:06:24

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/10/2021

Path 1 (0-5s)



Discharge 7

Start Time
14:06:24

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/10/2021

Path 1 (5-10s)



Discharge 7

Start Time
14:06:24

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/10/2021

Path 2 (0-5s)



Discharge 7

Start Time
14:06:24

Duration
5.07s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/10/2021

Path 2 (5-10s)



Discharge 7


Start Time
14:06:24

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)





● Path 1

◆ Path 2

Start Date
07/09/2021



Start Time
14:28:18


Duration
4.97s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 8





● Path 1

◆ Path 2

Start Date
07/09/2021



Start Time
14:28:18

Duration
4.97s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 8



Start Date
07/09/2021

Path 1 (0-5s)



Discharge 8

Start Time
14:28:18

Duration
4.97s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/09/2021

Path 2 (0-5s)



Discharge 8


Start Time
14:28:18

Duration
4.97s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)





Start Date
07/07/2021



Start Time
16:12:20


Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 9





● Path 1

◆ Path 2

Start Date
07/07/2021



Start Time
16:12:20

Duration
5.07s


TASER 7

Assignee
Boggs, Mark (294)

Discharge 9



Discharge 9





Start Date
07/07/2021

Start Time
16:12:20


Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Discharge 9



● Path 1

◆ Path 2



Start Date
07/07/2021

Start Time
16:12:20

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/07/2021

Path 1 (0-5s)



Discharge 9

Start Time
16:12:20

Duration
5.07s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/07/2021

Path 1 (5-10s)



Discharge 9

Start Time
16:12:20

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/07/2021

Path 2 (0-5s)



Discharge 9

Start Time
16:12:20

Duration
5.07s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)



Start Date
07/07/2021

Path 2 (5-10s)



Discharge 9


Start Time
16:12:20

Duration
5.07s

TASER 7

Assignee
Boggs, Mark (294)





● Path 1

◆ Path 2

Start Date
07/02/2021



Start Time
13:27:06


Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)

Discharge 10





● Path 1

◆ Path 2



Start Date
07/02/2021

Start Time
13:27:06

Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/02/2021

Path 1 (0-5s)



Discharge 10

Start Time
13:27:06

Duration
4.96s

TASER 7

Assignee
Boggs, Mark (294)



Start Date
07/02/2021

Path 2 (0-5s)

Discharge 10

Start Time
13:27:06

Duration
4.96s

TASER 7
[REDACTED]

Assignee
Boggs, Mark (294)

